




VOYAGE 3-IST. SOHVA

User Manual



MASKU SKU: 208783

ITEM NO.: W8800-3P

Warm Tips:

Please read this manual carefully before using the product. Proper operation and maintenance can extend the product's service life.

1. Safety Operation Standards

- (1) Children are prohibited from playing nearby during installation to avoid component dumping or accidental ingestion of small accessories.
- (2) When carrying the frame, hold the bottom with both hands. It is forbidden to lift the armrest or backrest with one hand to prevent frame breakage.
- (3) Grasp tools (such as wrenches, screwdrivers) firmly when using them to avoid slipping and damaging the ground or components. Store tools in time after operation.
- (4) The PE bag (packaging material) is not a toy. To avoid the risk of suffocation, keep it away from babies and young children.

2. Installation Time

- ◆ The installation takes approximately 30 minutes and requires 1-2 personnel for collaboration.

3. Unpacking Instructions







- (1) Do not cut the packaging violently with sharp tools (such as knives or scissors), as this may damage the internal filling, frame, fabric or elastic components.
- (2) After unpacking, remove all protective films and packaging materials, and dispose of them properly according to environmental protection requirements.

4. Assemble Instructions

(1) Pre-Installation Preparation







- a. Choose a flat and spacious installation site, it is recommended to lay a soft cloth (such as an old towel, carpet) on the ground to avoid scratching the frame or fabric surface.
- b. Take out the main sofa modules and accessories in sequence. Please check the quantity and specifications of the accessories against the parts list.
- c. confirm that both the sofa modules and installation tools (such as screws and wrenches) are in good condition before proceeding to the next step.
- d. Place all components by category, ensure that the connecting accessories are within reach and place the included wrench and self-prepared Phillips screwdriver (required for some models) aside.

Parts List

Number	Parts Name		Parts Line Diagram	Quantity
A	Left Armrest			1pc
B	Right Armrest			1pc
C	Backrest			1pc
D	Front Rail			1pc
E	Seat Base Panel			1pc
F	①	Sofa Frame Cover		1pc
	②	Seat Cushion Cover		1pc
	③	Back Cushion Covers		2pcs
		Lumbar Pillow Covers		2pcs
G	Back Cushion Inserts			2pcs
	Seat Cushion Insert			1pc
	Lumbar Pillow Inserts			2pcs
H	Legs			4pcs
	Wrench			1pc


(2) Installation Steps

a. Assemble the Main Frame (Core Step)


STEP 1: 	STEP 2: 
STEP 3: 	STEP 4:  Please remove the pre-installed screws and washers from the armrests.
STEP 5:  Align the holes on the front rail with those on the armrests, then secure them with screws and washers.	STEP 6: 

b. Install Fabric Cover


Step 7:



Step 8:





Step 9:



After putting on the sofa cover, smooth it out neatly and secure it with the hook-and-loop fasteners.

Step 10:





(3) Final Inspection

After installation, sit gently on the sofa to test stability and check for looseness or abnormal noises in all parts. If any issues arise, inspect that all connecting components are properly installed.

5. Fabric Cover Removal & Washing Instructions

- (1) Remove detachable filling components (lumbar pillows, seat cushions, back cushions)
- (2) Peel off the hook-and-loop fasteners on the fabric covers and gradually take them off from one end to the other. Before washing, cover the surface of the hook-and-loop fasteners with cloth strips to prevent them from damaging the fabric during washing;
- (3) Washing requirements: Use a neutral detergent with water temperature not exceeding 30℃ . Hand washing only; bleach is strictly prohibited;
- (4) After washing, air-dry the covers naturally. Avoid direct sunlight or tumble drying to prevent fabric shrinkage and fading;
- (5) Ensure the covers are completely dry before installation. Reattach them to the filling components in the reverse order of removal, then place them back on the sofa for use.

6. Maintenance & Care

- Avoid jumping, standing, or stepping on the sofa to prevent frame deformation or structural damage.
- Do not place high-temperature objects or sharp items (e.g., scissors, keys) directly on the fabric, as this may cause burns, scratches, or fabric tearing.
- Avoid exposing the sofa to direct sunlight for extended periods to prevent fabric fading or discoloration.
- Regularly pat the sofa surface and cushions to keep the filling evenly distributed and maintain elasticity.
- For fabric sofas: Vacuum clean once a week to remove dust and debris. Use a mild detergent diluted with water to wipe stains gently, then air-dry naturally (do not use a hair dryer or expose to direct sunlight).
- If the sofa is not used for a long time, cover it with a breathable dust cover and place it in a dry, well-ventilated area.

FAQ

Questions	Answers
How long does it take for the sofa cushions to fully rebound?	Under normal conditions (15-25℃ , humidity 40%-60%), it takes 48-72 hours. In low-temperature or high-humidity environments, it may take more than 72 hours.
How to speed up the sofa cushion's rebound?	Tap the sofa evenly with your hands (focus on sunken areas like back cushions and seat cushion) to loosen the filling and speed up air circulation.
How to speed up the sofa Pillows' rebound?	● Grasp both ends of the pillow with both hands, squeeze firmly toward the center, and release quickly. Repeat 10-15 times to break up clumped fillings. ● Pat the pillow surface evenly with your palms, focusing on sunken or hard areas, to help air enter the fiber gaps. ● Gently knead along the pillow's texture, avoiding horizontal pulling of the fabric, to ensure even distribution of fillings. ● Hold the bottom of the pillow with both hands, lift upward forcefully, and shake quickly. Use inertia to fluff the fillings, repeating 8-10 times.